

1
2 (Front of card)

3 **WARNING CARD**
4 **ZIAGEN® (abacavir) tablets and oral solution**

5
6 **Patients taking ZIAGEN may have a serious allergic reaction (hypersensitivity reaction)**
7 **that can cause death. If you get a symptom from 2 or more of the following groups while**
8 **taking ZIAGEN, call your healthcare provider right away to find out if you should stop**
9 **taking this medicine.**

10

| | Symptom(s) |
|----------------|---|
| Group 1 | Fever |
| Group 2 | Rash |
| Group 3 | Nausea, vomiting, diarrhea, or abdominal (stomach area) pain |
| Group 4 | Generally ill feeling, extreme tiredness, or achiness |
| Group 5 | Shortness of breath, cough, or sore throat |

11
12 Always carry this Warning Card with you to help recognize symptoms of this allergic reaction.

13
14
15 (Back of Card)

16 **WARNING CARD**
17
18 **ZIAGEN® (abacavir) tablets and oral solution**

19
20 If you must stop treatment with ZIAGEN because you have had an allergic reaction to abacavir,
21 **NEVER** take ZIAGEN or another abacavir-containing medicine (EPZICOM®, TRIUMEQ®, or
22 TRIZIVIR®) again. If you have an allergic reaction, dispose of any unused ZIAGEN. Ask your
23 pharmacist how to properly dispose of medicines. If you take ZIAGEN or another
24 abacavir-containing medicine again after you have had an allergic reaction, **WITHIN HOURS**
25 you may get **life-threatening symptoms** that may include **very low blood pressure** or **death**.

26
27 Please read the Medication Guide for additional information on ZIAGEN.

28
29 March 2017 ZGN:3WC